

PRASOL CHEMICALS LIMITED

PRODUCT DATA SHEET

ADDITIV A128



Type	: EP and antiwear additive	Product code	: 190
		Spec. No	PR/ADD A128/26/03-00
Other Trade Name	: Ashless zinc-free chlorine-free dialkyldithiophosphate		
Specifications		CAS No.	: 68413-48-9
Appearance	: clear slightly yellow liquid	UN Number	: 3082
Density @20°C (g/ml)	: 1.0 - 1.2	Hazard class	: 9
Color (ASTM D1500)	: 3 max	Packaging group	: III
Viscosity @ 40°C (cSt)	: 10 - 20		
Phosphorus content (%)	: 4.5 - 5.5		
Sulfur content (%)	: 10 - 12		
Flash point (°C)	: 120 min (open cup)		
Packing	: 200 kg in New M.S.Drums, can be engineered upon customer request		
Safety and Handling	: Refer Safety Data Sheet		
Applications	: It is suitable for formulating industrial and gear oils, greases and metal working fluids. It is particularly suited for raising the EP and FZG performance of turbine oils without affecting performance in other areas.		
Performance benefits	: Multifunctional; suitable for use in a wide range of lubricants Compatible with a wide range of additives Soluble in Group I, II, III and IV base oils Ashless, zinc-free and chlorine-free		
Treat level	: Industrial lubricants and metalworking	: 0.2-1.5%	
Technical Service	: For technical assistance, pricing and further information, please contact us through E-mail at - inquiry@prasolchem.com ; sales@prasolchem.com		

Head Office : PRASOL HOUSE, Plot No. A-17/2/3, T. T. C. Indl. Area, Khairne M. I. D. C., Navi Mumbai - 400 710.

Maharashtra, INDIA Tel : +91-22- 69450600/ 61952500 Fax : +91-22- 61952577

Website: www.prasolchem.com

Date of issue : 02.03.2026

Disclaimer

Information herein is given in good faith. Prasol Chemicals Limited makes no representations or warranties as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving the same will make their own determination as to its suitability for their purpose prior to use. Prasol Chemicals Limited shall not be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. The data provided are based on samples tested and are not guaranteed for all samples or applications. Such data are intended as guides only. No representations or warranties for a particular purpose or any other nature are made with respect to this information or the product.